Hunex I

Plasmid pVK100

DSMZ

Name	pVK100	
DSM No.	7141	
	ATCC 37156, K12 HB101	
History	<- ATCC <- E. Nester, Washington	
Mol. Weight	23.00 kb	
Marker	Km ^r , Tc ^r	
Remarks	A cosmid broad host range cloning vector. Mobilization by the helper plasmid pRK2013. Construction: pRK290 and pHK17 cos site. Cloning sites: EcoRI, Sall, HindIII, XhoI.	
Distributed in	Escherichia coli K12 HB101	
M≏dium	381, 37°C	
References	6295	
Price	EURO 38 (non-profit making institutions), EURO 54 (other institutions): Normal price.	
Restrictions	Genetically engineered microorganism, restricted distribution (C)	

© by DSMZ-Deutsche Sammlung von Mikroorganismen und Zellkulturen GmbH, Braunschweig, Germany

The state of the s	NAMES OF THE OWNERS OF THE PROPERTY OF THE PRO	FEBRUARY BURNESS BURNE
DSMZ	List of Plasmids	<u>Microorganisms</u>
विभवतिक्षेत्रकारोत्रिकार्यकारकार्यक्षेत्रकार्यकार्यकार्यकार्यकारकार्यकार्यकार्य	(1864年) (1964年) (1964年) (1964年) (1964年) (1964年) (1964年) (1964年)	Control of the contro

```
ID
       PVK100
                  preliminary; circular DNA; SYN; 23000 BP.
 XX
 AC
       ATCC37156;
 XX
 DT
       01-JUL-1993 (Rel. 7, Created)
 DT
       01-JUL-1995 (Rel. 12, Last updated, Version 1)
 XX
 DF.
      Broad host range/E.coli cosmid vector pVK100 - incomplete.
 XX
 KW
      cloning vector.
 XX
 os
      Cloning vector
 OC.
      Artificial sequences; Cloning vehicles.
 XX
 RN
 RC
      pVK100 from pRK290 & pHK17
 RC
      pVK101 from pVK100
 RC-
      pVK102 from pVK100
 RC.
      pVK200 series from pVK102 & pTiA6
 RC
      pVK261 from pVK102 & pTiA6
 RA
      Knauf V.C., Nester E.W.;
 RT
      "Wide host range cloning vectors: a cosmid clone bank of an
 RT
      Agrobacterium Ti plasmid";
 RL
      Plasmid 8:45-54(1982).
 XX
 RN
 RC
      pHK17 from pRK2501 & pHC79
 RC
      pHK111, pHK121, pHK120, pHK210 from pHK17 & pTiA6
RC
      pTiA6::Tn5 from pTiA6 & Tn5
RA
      Klee H., Gordon M.P., Nester E.W.;
RT
      "Complementation analysis of Agrobacterium tumefaciens Ti plasmid
      mutations affecting oncogenicity";
RT
RL
      J. Bacteriol. 150:327-331(1982).
XX
RN
      [3]
RC
     pTiB6-806 from Agrobacterium Ti octopine plasmid
     pTiA6 from Agrobacterium Ti octopine plasmid
RC
RC
     pTiACH5 from Agrobacterium Ti octopine plasmid
     pTiT37 from Agrobacterium Ti nopaline plasmid
RC
     pTiC58 from Agrobacterium Ti nopaline plasmid
RA
     Nester E.W., Kosuge T.;
RT
     "Plasmids specifying plant hyperplasias";
RL
     Annu. Rev. Microbiol. 35:531-565(1981).
XX
RN
      [4]
RC
     from pVK102 & OpMNPV
RA
     Chen D.D., Nesson M.H., Rohrmann G.F., Beaudreau G.S.;
RT
     "The genome of the multicapsid baculovirus of Orgyia pseudosugata:
RT
     restriction map and analysis of two sets of GC-rich repeated
RT
     sequences";
RL
     J. Gen. Virol. 69:1375-1381(1988).
XX
CC
     A cosmid, broad host range cloning vector. (ATCC staff)
CC
     Mobilization by the helper plasmid pRK2013 (ATCC 37159).
CC
     Medium is 1273 LB plus tetracycline.
CC
     NM (pVK100)
CC
     CM (no)
CC
     NA (ds-DNA)
CC
     TP (circular)
CC
     ST ()
```

//

```
CC: TY (cosmid)
CC
      SP (ATCC).
      HO (E.coli HB101) (broad host range) (E.coli)
CC
CC
      CP ()
CC
      FN (cloning)
CC
      SE ()
CC
      PA ()
CC
      BR ()
CC
      OF ()
CC
      OR ()
XX
FH
      Key
                       Location/Qualifiers
FH
FT
     misc feature
                       0..0
FT
                       /note="1. RK2, oriT/tet gene
FT
                       -> pRK248 10000bp
FT
                       1. pRK248 10000bp
FT
                       2. E. coli 1100bp, kan gene
FT
                       -> pRK2501 11100bp
FT
                       1. pRK2501 BglII 11100bp
FT
                       2. pHC79 BglII-BglII 1719bp 2111..3830, lambda cos
\mathbf{FT} \cdots
                       -> pHK17 12800bp
Fi.
                       1. RK2
FΤ
                       -> pRK290 20000bp
\mathbf{FT}

    pRK290 SalI-EcoRI, trfA/trfB genes

FT
                       2. pHK17 SalI-EcoRI, oriV
FT
                       -> pVK100 23000bp"
FT
     misc binding
                       0..0
FT
                       /note="SIT unique EcoRI-SalI-HindIII-XhoI"
FT
     rep_origin
FT
                       /note="ORI E. coli RK2"
FT
     CDS
                       0..0
FT
                       /note="ANT E. coli kanamycin resistance gene (kan)"
FT
     CDS
                       0..0
FT
                       /note="ANT E. coli tetracycline resistance gene (tet)"
XX
SQ
     Sequence 1 BP; 0 A; 0 C; 0 G; 0 T; 1 other;
```